Application No.: 10/579,104

Amendment and Response dated January 14, 2011

Docket No.: 753-65 PCT/US

Page 2

## Amendments to the Claims:

This claim listing replaces all prior versions, and listings of claims in the application.

Please amend the claims as follows:

1. (Currently Amended) A template-fixed  $\beta$ -hairpin mimetic of the general formula

wherein

the two Cys residues are bridged by a disulfide bond thereby forming a cyclic peptide; wherein  $R^1$  is Glu-Thr and wherein  $R^2$  is Thr-Lys;

R<sup>+</sup> and R<sup>2</sup> are

A B and B C; or B A and C B; or C B and B A; or B C and A B; or C A and C A; or A C and A C; or C A and C B; or B B and C B; or B B and B C; or A B and C C; or B A and C C; or C B and B B; or B C and B B; or C C and B A; or C C and A B; or B B and C C; or C C and B B; or A C and B C; or C B and C A; or B C and A C; or A C and A B; or B A and C A; A A and C C; or C C and A A;

Application No.: 10/579,104

Amendment and Response dated January 14, 2011

Docket No.: 753-65 PCT/US

Page 3

A being any one of Asn, Gln, Asp, Glu, Thr, Ser and Gly;

B being any one of Val, Ile, Ser, Thr, Phe, Tyr, Trp and Gly; and

C being any one of Arg, Lys and Gly; and

Z is a chain of n amino acid residues with n being an integer form from 4 to 20 and with each of these n amino acid residues being, independently, derived from any naturally occurring L- $\alpha$ -amino acid, and wherein the template consisting of R<sup>1</sup>, R<sup>2</sup> and the disulfide-bridged cysteines stabilizes the antiparallel  $\beta$ -sheet conformation of Z.

## 2-9. (Cancelled)

Application No.: 10/579,104

Amendment and Response dated January 14, 2011

Docket No.: 753-65 PCT/US

Page 4

- 10. (Currently amended) A compound according to claim 2 1 wherein Z contains
  - -Arg-Gly-Asp-,
  - -Glu-Leu-Arg-,
  - -Arg-Lys-Lys- or
  - -Lys-Gly-Phe-

## or consists of, or contains

- -Val-Arg-Lys-Lys- [SEQ ID NO:1],
- -Lys-Lys-Tyr-Leu- [SEQ ID NO:2],
- -Trp-Leu-Asp-Val- [SEQ ID NO:3],
- -Tyr-Ile-Arg-Leu-Pro- [SEQ ID NO:4],
- -Tyr-Ile-Gly-Ser-Arg- [SEQ ID NO:5],
- -Ile-Lys-Val-Ala-Val- [SEQ ID NO:6],
- -Pro-Pro-Xaa-Xaa-Trp- [SEQ ID NO:7] wherein Xaa can be residues of any naturally occurring L-α-amino acids,
- -Leu-Trp-Tyr-Ser-Asn-His-Trp-Val- [SEQ ID NO:22],
- -Lys-Trp-Phe-Ser-Asn-His-Tyr-Gln- [SEQ ID NO:23],
- -Phe-Leu-Ala-His-Tyr-Ala- [SEQ ID NO:24] or
- -Leu-Trp-Tyr-Ser-Asn-His-Trp-Val-Lys-Trp- [SEQ ID NO:25].

## 11-14. (Cancelled)

15. (Currently amended) A compound according to claim 1, wherein R<sup>1</sup> is Glu-Thr, R<sup>2</sup> is Thr-Lys, and wherein Z is Gly-Thr-Lys-Trp-Phe-Ser-Asn-His-Tyr-Gln-Thr-Gly (SEQ ID NO:21).